

ADA 041164

(2)

Technical



TN no. N-1483



title: MANUAL NUT SPLITTERS FOR DIVER USE

author: S. A. Black and S. S. Sergev

date: May 1977

SPONSOT: NAVAL FACILITIES ENGINEERING COMMAND

program nos: YF52.556.999.01.304

AN NO. OOC FILE COPY



CIVIL ENGINEERING LABORATORY

NAVAL CONSTRUCTION BATTALION CENTER Port Hueneme, California 93043

Approved for public release; distribution unlimited.

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered READ INSTRUCTIONS BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE DN587012 TN-1483 TYPE OF REPORT & PERIOD COVERED Final: Jun 1974 - Jun 1976 MANUAL NUT SPLITTERS FOR DIVER USE # 6. PERFORMING ORG. REPORT NUMBER B. CONTRACT OR GRANT NUMBER(S) AUTHORIS S. A. Black and S. S. Sergev FORMING ORGANIZATION NAME AND ADDRESS CIVIL ENGINEERING LABORATORY & 62759N; Naval Construction Battalion Center YF52.556.999.01.304 Port Hueneme, California 93043 12 REPORT DATE May 1977 Naval Facilities Engineering Command Alexandria, Virginia 22332 SECURITY CLASS (of this report) Unclassified 150 DECLASSIFICATION DOWNGRADING 16 DISTRIBUTION STATEMENT for this Rep Approved for public release; distribution unlimited. 18 SUPPLEMENTARY NOTES 9. KEY WORDS (Continue on reverse side if necessary and identify by block number Diver tools, manual nut splitter, manual wrench operation, powered wrench operation. reverse side if necessary and identify by block number) A diver-operated, compact, manual nut splitter was designed, built, and tested that can split stainless steel nuts (R 50 hardness) up to 1 inch across the flats. The nuts can be split in 30 to 45 seconds with a powered wrench or in 3 minutes manually. Four tool kits, each consisting of the nut splitter and spare parts were delivered to the Navy Underwater Construction Teams for their use DD FORM 1473 EDITION OF ! NOV 65 IS OBSOLETE

iii

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified	
URITY CLASSIFICATION OF THIS P	AGE(When Data Entered)
Library Card	
	Civil Engineering Laboratory
	MANUAL NUT SPLITTERS FOR DIVER USE (Final),
	by S. A. Black and S. S. Sergev
	TN-1483 21 pp illus May 1977 Unclassified
1. Diver tools – Man	
A diver-operated, co	ompact, manual nut splitter was designed, built, and tested that
split in 30 to 45 seconds w	s (R _C 50 hardness) up to 1 inch across the flats. The nuts can be with a powered wrench or in 3 minutes manually. Four tool kits,
each consisting of the nut	splitter and spare parts were delivered to the Navy Underwater
Construction Teams for th	eir use.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

CONTENTS

													page
INTRODUCTION	٠.												1
BACKGROUND											•		1
TOOL MODIFICATION			•										2
Arm and Handle	2 .												2
Drive Screw .													2
Cutters													3
TOOL OPERATION					•					•			3
TOOL KIT			•						•				4
RESULTS AND CONCLUS	SIONS	3							•				5
POST OPERATION													5



INTRODUCTION

Under the sponsorship of the Naval Facilities Engineering Command (NAVFAC), the Civil Engineering Laboratory (CEL) has been developing tools and techniques to assist underwater construction divers. The program objective is to improve the safety and reliability of tools currently in use by the Navy's Underwater Construction Teams (UCT) and to develop new tools that will increase the scope of work performed.

One of the tasks frequently assigned to the UCT's is the installation, maintenance, and repair of oceanographic cables at diver depths. Presently, cast iron split pipe (Figure 1) is assembled around the cable to provide abrasion protection and stabilization against wave forces. Each split pipe section is approximately 3 feet long and is assembled using eight 5/8-inch bolts with nuts and lock washers. Both mild steel and stainless steel fasteners are used on the pipe.

During repair operations the divers have repeatedly experienced problems in removing the nuts and bolts from the split pipe sections. Abrasion of bolts on seafloor rock in combination with corrosion and marine fouling often make it impossible to remove the nuts with conventional wrenches. In these cases, a hydraulically powered abrasive wheel is used to grind through the nut. This procedure is extremely time consuming, requires two divers, and can be very dangerous because of the exposed high speed cutting wheel.

BACKGROUND

An investigation was conducted to determine what equipment and techniques were commercially available to remove the fasteners. It was found that the simplest, fastest, and most practical method was to remove the fasteners by cutting the nuts in half. Three commercially available tools (Figure 2) were purchased and tested by splitting 15/16-inch stainless steel nuts. A description of the tools is contained in Table 1. The evaluation criteria included:

- (a) Be safe and simple to operate
- (b) Require little or no maintenance
- (c) Split the 5/8-inch (15/16-inch across the flats) stainless steel nuts in a single operation

- (d) Fit within the confines of the split pipe
- (e) Employ easily removable cutters
- (f) Be compatible with existing tool systems

Of the three tools tested none met all the criteria: Type I did not open wide enough to accommodate the split pipe nuts; Type II would split the nuts, but two cuts were required to remove the nut; Type III provided an adequate opening and enough force to split the nuts, but would not fit within the confines of the split pipe sections. Based on an analysis of the tests and the operational criteria, it was determined that a modified version of the Type I splitter would function as required.

TOOL MODIFICATIONS

The tool would probably be used more frequently in its diver application than its original design function of occasional homeshop use. Therefore, in addition to modifying the tool to allow wider opening, it was made stronger for repeated use. A summary of tool modifications is shown in Table 2. The modified tool is shown in Figure 3.

Arm and Handle

The most extensive modification was the fabrication of a new arm (Figure 4). Changing the shape of the arm provided clearance for the nuts. The drive screw contact area was hard-faced to minimize deformation from expected compressive loads of about 120,000 psi. The small arm was modified to accept a 3/4-inch grade 8 pivot bolt. This was accomplished after tests with the standard 5/8-inch-diameter pivot bolt showed deformation of the unit when subjected to shear loads on the order of 100,000 pounds.

Drive Screw

Based on laboratory tests it was determined that the drive screw would be subjected to compressive loads from 15,000 pounds to a maximum of 30,000 pounds when splitting the 15/16-inch nuts. In addition, the tool drive screw would be operated at times with an impact wrench, which would result in very high friction forces on the thread contact surfaces. These high loads in combination with poor sliding surface lubrication conditions required testing a number of candidate drive screws before an acceptable design was found. The testing involved splitting nuts while monitoring the drive screw torque. The nuts were split both by hand using a ratchet wrench and with a hydraulic impact wrench. After the nut was split the drive screw was checked for thread deformation. The drive screw was assumed to have failed when it could no longer be turned

easily by hand. Hand operation is required so that a diver can easily attach the tool to the nut to be split.

An unplated SAE grade 8 bolt with class 2 thread was selected as the drive screw. A ball bearing was installed in the contact end to reduce wear and sliding friction forces at the contact surface. With this bolt, up to 40 nuts were split with no significant signs of thread deformation.

Cutters

The original cutters were not wide enough to fit fully on the flats of 15/16-inch nuts. Also, when attempts were made to split the stainless steel nuts, the cutters deformed at the cutting edge, resulting in excessive torque at the drive screw.

A number of experimental cutters were fabricated and tested. Test criteria included drive screw torque and number of nuts split. This information is summarized in Table 3.

The AISI L-6 tool steel did not perform adequately, primarily due to the presence of a decarburized skin resulting from heat treating. The soft skin rolled, dulled the edge, and resulted in very high drive torque. Attempts to remove the skin by grinding did not improve cutter performance. However, the use of AISI S-1 tool steel eliminated the decarburized skin problem.

Heat treatment was shown to have an important effect on cutter life. For a hardness less than R 56, edge deformation resulted in excessive drive torques. For a hardness greater than R 59, cutter brittleness resulted in sheared shanks and chipped cutter edges. A secondary bevel, Figure 5, provided increased cutter life. Thus, cutters fabricated from S-1 tool steel heat-treated to R 57 and with a secondary bevel of 75 degrees were found to have prolonged life and acceptable torque. A copper washer placed between the cutter and the tool properly seated the cutter. Without the washer, uneven seating often resulted in side loads and subsequent shearing of the cutter shank. An O-ring provided a simple means of firmly holding the cutters in the tool.

TOOL OPERATION

The nut splitter was tested both on land and underwater to determine both operational procedures and overall performance. The testing showed the performance of the cutters and drive screws to be as previously discussed. Nuts can be split manually in 3 minutes or with a powered wrench in 30 to 45 seconds. Recommended operational procedures were established and incorporated into an operations and maintenance manual that is provided with each kit. A complete summary of the operation instructions is given below:

- 1. Orient the cutter blades so that the edges are parallel to each other.
- 2. Place the splitter on the nut so that the ends of the handle or arm do not contact the split pipe.
- 3. Position the cutter blades as close as possible to the centers of opposing flats of the nut so that they contact the full height of the nut and do not engage the washer or lock washer.
- 4. Secure the nut splitter in place by hand-tightening the drive screw.
- 5. Torque the drive screw with the socket wrench or an impact wrench. Note: when the nut splitter is operated in air, the split nut will fly off with considerable velocity. To reduce the hazards, head and eye protection must be worn. In addition, the nut should be covered loosely with a cloth rag to contain the split nut. When underwater, the energy of the split half is rapidly expended so that danger does not exist.
- 6. One side of the nut may split first. If this happens, examine the position of the cutters on the nut. If properly aligned, continue to split the remaining nut half; if incorrectly positioned, remove and reposition the nut splitter or remove the loosened nut by turning.

Occasionally it was observed that when both halves of the nut were split, the half restrained by the splitter remained attached to the bolt. Turning the bolt sometimes removed this half. On other occasions, the half was removed by an additional cut with the splitter.

TOOL KIT

Due to the unusually high stresses encountered in splitting the 15/16-inch stainless steel nuts, some of the nut splitter parts are designed to wear and be replaced on a regular schedule. For the UCT's, a kit (Figure 6) was made up that contains sufficient replacement parts to split 1,000 nuts. A listing of the kit contents and replacement schedule is contained in Table 4.

RESULTS AND CONCLUSIONS

The nut splitter was developed to meet the specific requirement of removing damaged 15/16-inch stainless steel nuts from split pipe. With the kit, adequate spare parts are available to remove more than 1,000 nuts. The task can be accomplished either manually using a socket and a ratchet wrench or hydraulically using an impact wrench.

Hand operation requires the diver to exert forces up to 25 pounds at the end of a 15-inch breaker bar. On a limited basis this force normally poses no problems. However, in conditions where it is expected that many nuts will be split, it is recommended that an impact wrench be used. If it becomes necessary to remove a substantial number of nuts manually, cutters with a sharper secondary angle would result in reduced drive torque. However, a decreased cutter life would be expected.

The present cutters were selected on the basis of limited tests and a trade off between drive torque and life. Optimization of the cutter angle, drive torque, and material hardness could result in a tool that requires less operational torque and has increased cutter life.

POST OPERATION

The first field use of the nut splitter was successful, but it did demonstrate some potential problems in using the tool. The operation occurred immediately after the development work discussed in this report, and the divers were not fully instructed in using the nut splitter. Also, the working environment was hostile, with poor visibility, heavy surge, and cold water that required the divers to wear awkward three-fingered mittens. These factors combined to ___ke it difficult to align the cutter blades parallel to each other and to properly position the blades on the nuts. These problems were, of course, considered during the development process and the product was thought to be the best compromise solution. This design allows the most versatile use of the nut splitter in a variety of applications beyond just that of split pipe nut removal.

However, if these problems remain after divers are properly trained in the use of the nut splitter, these design modifications are recommended:

- 1. Fabricate the cutter blades from octagonal stock as shown in Figure 7 and modify the nut splitter handles accordingly. (This shape will allow indexing and positive orientation of the cutters.)
- 2. Fabricate an attachable alignment jig for specific applications.




Figure 1. Split pipe section of the type used to protect cables.




Figure 2. Commercially available nut splitters.




Figure 3. Modified nut splitter. Capacity increased to 1 inch; new, wider, harder cutter blades; larger diameter pivot bolt; stronger drive screw.





Figure 4. Modified small arm. Shape changed to increase tool capacity.



Figure 6. Nut splitter tool kit. Contains sufficient spare parts to split 1,000 nuts.






Figure 7. Octagonal cutter blade.

Table 1. Comparison of Commercially Available Nut Splitters

Туре	Description	Nut Capacity	Size (in.)	Weight (1b)
I	Pliers type, two cutters, manual drive screw, hand- operated	3/4-inch across flats	12x6x1	4
II	Single cutter, requires two cuts, manual drive screw, hand-operated	15/16-inch across flats	6x2x1	3/4
III	Pinch type, hydraulic ram operated, requires hydraulic pump	1-7/8-inch across flats	16x14x3	22

Table 2. Modifications to Pliers-Type Nut Splitter

Tool Part	Modification	Description
Small arm	Shape changed to increase nominal nut capacity and to improve the drive screw/small arm contact angle; drive screw contact area hard-faced	AISI 4340 heat- treated to R _c 28- 32. Tooltectic 6HSS hard-facing
Handle	Pivot bolt hole increased to 3/4- inch diameter	Modified commercial part
Drive screw	Commercial drive screw replaced with a high-strength bolt; a 7/16-inch ball bearing installed in the end of the bolt	SAE grade 8 bolt and commercial ball bearing
Pivot bolt	Commercial part changed to a high- strength bolt; increased size from 5/8-inch to 3/4-inch diameter	SAE grade 8 bolt
Pivot bolt jam nut	Nut added to lock the pivot bolt in place	Thin height elastic stop nut
Cutter blade	Commercial part replaced with a wider blade having a secondary cutter bevel	AISI S-1 tool steel heat-treated to R _C 57-60

continued

Table 2. Continued

Tool Part	Modification	Description
Cutter blade washer	A 0.020-inch-thick copper washer added under the blade to evenly distribute contact stresses	Soft copper
Rubber stop	A rubber pad added to the small arm to help correctly position the cutter blades on the nut	

	Remarks	Standard cutters too soft and too narrow	Torque depends on cutter wear; cutter edge tended to roll over due to soft, decarburized skin	Severe cutter deforma- tion; too soft	Edge worn and unusable after 20 nuts	Secondary bevel achieved by sanding cutting edge to angle; edge worn	Case-hardened cutters sheared off at the shank; too brittle	Cutter edge badly deformed;
S	Torque (ft-1b)	unknown	35to60	30	24	25	20	30
ter Test	Nuts	1 to 2	5 to 15	1	20	24	1 to 4	2 to 5
Results of Cutter Tests	Bevel Angle (deg)	1	1	1	ı	06	1	1
	Blade Angle (deg)	09	09	09	09	09	09	60
Table 3.	Hardness	R 38	R _c 53-60	R _c 50	R_60	R 60	case hardened R_55	R _c 55
	Material	unknown	AISI L-6 tool steel	AISI S-1 tool steel	S-1	S-1	S-1	S-1
	Cutter	П	7	9	4	50	9	7

	Remarks	Same cutters as (7); secondary bevel appears to increase cutter life; edge worn	Test stopped due to drive screw failure	Broad bevel angle produced high torque; cutting edge still good	Cutters still good; no wear on the edge
	Torque (ft-1b)	35	07	61	47
lnued	Nuts	24	16	22	22
Table 3. Continued	Bevel Angle (deg)	22	75	110	75
Table	Blade Angle (deg)	09	09	09	09
	Hardness	R _c 55	R _c 57	R _c 57	R _c 57
	Material	S-1	S-1	S-1	S-1
	Cutter Number	σ	6	01	11

Table 4. Contents of Nut Splitter Kit

lable 4. Contents of Nut Splitter Kit						
Item	Number in Kit	Description	Replacement Schedule or Function			
Assembled nut splitter	l ea	Handle, arm, drive screw, pair cutter assembly, pivot bolt and nut				
Small arm	l ea	4340 tool steel, heat- treated to R _c 28-32	Replace when severely deformed or broken			
Cutter Assembly	60 pr	S-1 tool steel, heat treated to R 57, with O-ring and copper washers	Replace when edge becomes excessively worn or chipped, or when drive torque exceeds 60 ft-1b (estimate 30+ nuts)			
Drive Screw	60 ea	5/8 x 18 SAE grade 8 bolt with ball bearing installed in end	Replace when its threads are badly deformed or when it cannot be turned freely by hand (estimate 30+ nuts)			
Pivot Bolt and Nut	5 assembly	3/4 x 12 SAE grade 8 bolt	Replace when excessively deformed, causing excessive misalignment between opposing cutter edges			
Rubber Stop	10 ea	1/4 x 1- inch rubber strip, 1/6- inch thick	For ease of alignment and centering cutters on nut to be split			

continued

Table 4. Continued

	Ta	ble 4. Continued	1
Item	Number in Kit	Description	Replacement Schedule or Function
"T" wrench	1 ea	T-shaped brass rod	To aid in removing damaged cutters
Cutter holder	4 ea	Plastic strip with cutouts for cutter shank	Used to hold two pair of cutters for underwater handling with gloves
Impact socket	1 ea	15/16-in. impact socket	To turn drive screw with impact wrench
Impact Adapter	l ea	5/8-in. hex drive to 1/2-in. square drive	To use with standard hydraulic impact wrench
Standard socket	l ea	5/8-in. flank drive socket	To turn drive screw with hand ratchet wrench
Ratchet wrench	1 ea	18-inlong reversible ratchet socket wrench	To torque drive screw
Extension handle	l ea	8-inlong handle	Fits on nut splitter handle to provide increased leverage
Lubricant	5 tubes	Antisieze lubricant	To lubricate drive screw and mating faces of handle and arm

DISTRIBUTION LIST

AFB AFCEC/XR, Tyndall FL; CESCH, Wright-Patterson; HQ Tactical Air Cmd (R. E. Fisher), Langley AFB VA; SAMSO/DEB, Norton AFB CA; Stinfo Library, Offutt NE

ARMY BMDSC-RE (H. McClellan) Huntsville AL; DAEN-CWE-M (LTCD Binning), Washington DC; DAEN-FEU, Washington DC; DAEN-MCE-D Washington DC; HQ-DAEN-FEB-P (Mr. Price); Tech. Ref. Div., Fort Huachuca, AZ

ARMY BALLISTIC RSCH LABS AMXBR-XA-LB, Aberdeen Proving Ground MD

ARMY COASTAL ENGR RSCH CEN Fort Belvoir VA; R. Jachowski, Fort Belvoir VA

ARMY CONSTR ENGR RSCH LAB Library, Champaign IL

ARMY CORPS OF ENGINEERS Seattle Dist. Library, Seattle WA

ARMY CRREL A. Kovacs, Hanover NH

ARMY ENG DIV HNDED-CS, Huntsville AL

ARMY ENG WATERWAYS EXP STA Library, Vicksburg MS

ARMY ENGR DIST. Library, Portland OR

ARMY MATERIALS & MECHANICS RESEARCH CENTER Dr. Lenoe, Watertown MA

ARMY MOBIL EQUIP R&D COM Mr. Cevasco, Fort Belvoir MD

ASST SECRETARY OF THE NAVY Spec. Assist Energy (P. Waterman), Washington DC: Spec. Assist Submarines, Washington DC

BUMED Code 41-1 (CDR Nichols)

BUREAU OF RECLAMATION Code 1512 (C. Selander) Denver CO

MCB ENS S.D. Keisling, Quantico VA

CNO Code OPNAV 90H; OP987P4 (B. Petrie), Pentagon

COMCBPAC Operations Off, Makalapa HI

COMFLEACT CO; PWO, Okinawa Japan

COMNAVMARIANAS Code N4, Guam

COMSUBDEVGRUONE Operations Offr, San Diego, CA

DEFENSE DOCUMENTATION CTR Alexandria, VA

DTNSRDC Code 1548 (T. Tsai), Bethesda MD; Code 42, Bethesda MD

ENERGY R&D ADMIN. Dr. Vanderryn, Washington DC

FLTCOMBATDIRSYSTRACENLANT PWO, Virginia Bch VA

HQFORTRPS 2nd FSCG, (Caudillo) Camp Lejeune, NC

KWAJALEIN MISRAN BMDSC-RKL-C

MARINE CORPS BASE Code 43-260, Camp Lejeune NC; M & R Division, Camp Lejeune NC; Maint, Office, Camp Pendleton CA; PWO, Camp S. D. Butler, Kawasaki Japan

MARINE CORPS DIST 9, Code 043, Overland Park KS

MARINE CORPS HQS Code LFF-2, Washington DC

MCAS Code PWE, Kaneohe Bay HI; Code S4, Quantica VA; PWD, Dir. Maint. Control Div., Iwakuni Japan; PWO, Yuma AS

MCB Base Maint. Offr, Quantico VA

MCRDPWO, San Diego Ca

NAVSHIPYD Commander, Vallejo, CA

NAVCOMMSTA PWO, Adak AK

NAVREGMEDCEN SCE, Guam

NAVSHIPYD Code 400, Puget Sound; PWO, Puget Sound

NAVSTA SCE, Subic Bay, R.P.

NAD Code 011B-1, Hawthorne NV; Engr. Dir; PWD Nat./Resr. Mgr Forester, McAlester OK

NAS Asst C/S CE; Code 187, Jacksonville FL; Code 70, Atlanta, Marietta GA; Dir. Maint. Control Div., Key West FL; Lead. Chief. Petty Offr. PW/Self Help Div. Beeville TX; PWC Code 40 (C. Kolton); PWD Maint. Div., New Orleans, Belle Chasse LA; PWO Chase Field; PWO Whiting Fld, Milton FL; PWO, Kingsville TX; PWO, Millington TN; PWO, Moffett Field CA; ROICC; ROICC Off (J. Sheppard), Point Mugu CA; SCE Lant Fleet; SCE, Barbers Point HI

NATPARACHUTETESTRAN PW Engr, El Centro CA

NAVCOASTSYSLAB Code 423 (D. Good), Panama City FL; Code 710 (R. Elliott); Code 710.5 (J. Mittleman); Code 710.5 (J. Quirk); Library

NAVCOMMAREAMSTRSTA Code W-602, Honolulu, Wahiawa HI; PWO, Wahiawa HI

NAVFACENGCOM Code 0433B; Code 0451; Code 04B3; Code 04B5; Code 101; Code 102 (CDR Dettbarn); Code 1023

(M. Carr); Code 104; Code 2014 (Mr. Taam), Pearl Harbor HI; PC-22 (E. Spencer); PL-2

NAVORDSTA PWO, Louisville KY

NAVPGSCOL E. Thornton, Monterey CA

NAVPHIBASE Code S3T, Norfolk VA; OIC, UCT I

NAVREGMEDCEN Code 3041, Memphis, Millington TN; PWO; SCE (LCDR B. E. Thurston), San Diego CA

NAVSCOLCECOFF C35; C44A (R. Chittenden), Port Hueneme CA

NAVSECGRUACT PWO, Torri Sta, Okinawa

NAVSHIPREPFAC Library, Guam

NAVSHIPYD Code 410, Mare Is., Vallejo CA; Code 440, Norfolk; Code 450, Charleston SC; PWO, Mare Is.; SCE, Pearl Harbor HI

NAVSTA CO; PWD (L. Ross), Midway Island; PWO; SCE, San Diego CA

NAVSUPPACT CO, Seattle WA; Code 4, 12 Marine Corps Dist, Treasure Is., San Francisco CA

NAF PWO Sigonella Sicily

NAS Dir. Util. Div., Bermuda; PWD, Willow Grove PA

NAVSTA PWO, Keflavik Iceland

NAS R. Kline

NATNAVMEDCEN PWO

NAVAIRSYSCOM LT W. Hall, Washington DC

NAVAL FACILITY PWO, Cape Hatteras, Buxton NC: PWO, Centerville Bch, Ferndale CA; PWO, Guam; PWO, Lewes DE

NAVCOMMSTA CO (61E); PWO, Fort Amador Canal Zone

NAVCOMMUNIT Cutler/E. Machias ME (PW Gen. For.)

NAVFACENGCOM - CHES DIV. Code 101; Code 402 (R. Morony); Code 403 (H. DeVoe); Code FPO-1 (Ottsen); Code FPO-1C2; Contracts, ROICC, Annapolis MD

NAVFACENGCOM - LANT DIV. Code 10A, Norfolk VA; RDT&ELO 09P2, Norfolk VA

NAVFACENGCOM - NORTH DIV. (Boretsky); Code 1028, RDT&ELO, Philadelphia PA; Code 114 (A. Rhoads); ROICC, Contracts, Crane IN

NAVFACENGCOM - PAC DIV. Code 402, RDT&E, Pearl Harbor HI; Commanders

NAVFACENGCOM - SOUTH DIV. Code 90, RDT&ELO, Charleston SC; Dir., New Orleans LA

NAVFACENGCOM - WEST DIV. 102; 112; AROICC, Contracts, Twentynine Palms CA; AROICC, Point Mugu CA; Codes 09PA; 09P/20

NAVFACENGCOM CONTRACTS Bethesda, Design Div. (R. Lowe) Alexandria VA; Dir, Eng. Div., Exmouth, Australia; Eng Div dir, Southwest Pac, PI; OICC/ROICC, Balboa Canal Zone; ROICC, Pacific, San Bruno CA

NAVHOSP LT R. Elsbernd, Puerto Rico

NAVOCEANO Code 1600; Code 3412 (J. DePalma), Washington DC; Code 3412 (J. Kravitz)

NAVRADRÉCFAC PWO, Kami Seya Japan

NAVREGMEDCEN PWO Newport RI

NAVSECGRUACT PWO, Edzell Scotland; PWO, Puerto Rico

NAVSHIPYD Library, Portsmouth NH; PWO

NAVSTA CO; Engr. Dir., Rota Spain; Maint. Cont. Div., Guantanamo Bay Cuba; PWD/Engr. Div, Puerto Rico; PWO, Puerto Rico; ROICC, Rota Spain; Maint. Div. Dir/Code 531, Rodman Canal Zone

NAVSUPPACT Plan/Engr Div., Naples Italy

NAVWPNCEN PWO (Code 70), China Lake CA

NAVWPNSTA Maint. Control Dir., Yorktown VA; PWO

NAS CO, Guantanamo Bay Cuba; Code 114, Alameda CA; Code 18700, Brunswick ME; Code 18E (ENS P.J. Hickey), Corpus Christi TX; PWD (ENS E.S. Agonoy), Chase Field, Beeville TX

NAVSTA PWD (LT W.H. Rigby), Guantanamo Bay Cuba

NAS PWD (M.B. Trewitt), Dallas TX; PWD, Maintenance Control Dir., Bermuda

NAVSTA PWO, Guantanamo Bay Cuba

NATL OCEAN AND ATMDS. ADMIN. Libraries Div.-D823, Silver Spring MD

NATL RESEARCH COUNCIL Naval Studies Board, Washington DC

NAVACT PWO, London UK

NAVAVIONICFAC PWD Deputy Dir. D/701, Indianapolis, IN

NAVBASE Code 111 (A. Castronovo), Philadelphia PA

NAVCOMMSTA PWO: PWO. Norfolk VA

NAVCONSTRACEN CO (CDR C.L. Neugent), Port Hueneme, CA

NAVELEXSYSCOM Code PME-124-61, Washington DC

NAVENVIRHLTHCEN OIC, Cincinnati OH

NAVEODFAC Code 605, Indian Head MD

NAVFACENGCOM CDR L K Donovan, Alexandria VA; Code 0453 (D. Potter)

NAVFACENGCOM - CHES DIV. Code FPO-1 (C. Bodey); Code FPO-1SP13 (T.F. Sullifan)

NAVFACENGCOM - NORTH DIV. AROICC, Brooklyn NY; Code 09P (LCDR A.J. Stewart); Design Div. (R Masino), Philadelphia PA

NAVFACENGCOM CONTRACTS ROICC (LCDR J.G. Leech), Subic Bay, R.P.; TRIDENT (CDR J.R. Jacobsen), Bremerton WA 98310

NAVFORCARIB Commander (N42), Puerto Rico

NAVMARCORESTRANCEN ORU 1118 (Cdr D.R. Lawson), Denver CO

NAVMIRO OIC, Philadelphia PA

NAVNUPWRU MUSE DET OIC, Port Hueneme CA

NAVOCEANSYSCEN CODE 4099 (E. Hamilton), San Diego CA; Code 409 (D. G. Moore), San Diego CA; Code 6344 (R. Jones); Code 65 (H. Talkington); Code 6565 (Tech. Lib.), San Diego CA; Code 7511 (PWO)

NAVPETOFF Code 30. Alexandria VA

NAVPGSCOL D. Leipper, Monterey CA

NAVSCOLCECOFF CO., Code C44A

NAVSEASYSCOM Code SEA OOC

NAVSEC Code 6034 (Library), Washington DC

NAVSHIPYD CO Marine Barracks, Norfolk, Portsmouth VA; Code 202.4, Long Beach CA; Code 202.5 (Library) Puget Sound, Bremerton WA; Code 453 (H. Clements), Vallejo CA; Code 453 (Util. Supr.), Vallejo CA; Code Portsmouth NH; PWD (Code 400), Philadelphia PA; PWD (LT N.B. Hall), Long Beach CA

NAVSTA SCE, Guam: Utilities Engr Off. (LTJG A.S. Ritchie), Rota Spain

NAVSUBASE SCE, Pearl Harbor HI

NAVSUPPACT AROICC (LT R.G. Hocker), Naples Italy; CO. Brooklyn NY

NAVTRAEQUIPCEN Technical Library, Orlando FL

NAVWPNCEN ROICC (Code 702), China Lake CA

NAVWPNSTA Code 092A (C. Fredericks) Seal Beach CA; ENS G.A. Lowry, Fallbrook CA

NAVWPNSUPPCEN PWO

NAVFACENGCOM - WEST DIV. Code 04B

NAVOCEANSYSCEN Code 6700; SCE (Code 6600), San Diego CA

NAVSHIPRANDCEN (LCDR Dieterle), Carderock Lab., Bethesda, MD

NAVSHIPYD Code 420, Maint, Control, Long Beach, CA

NAVXDIVINGU LT A.M. Parisi, Panama City FL

NCBC CEL (CAPT N. W. Petersen), Port Hueneme, CA; CEL AOIC; Code 10; Code 400, Gulfport MS; PW Engrg, Gulfport MS; PWO (Code 80); PWO, Davisville RI

NCBU 411 OIC, Norfolk VA

NCR 20, Commander

NMCB 133 (ENS T.W. Nielsen); 5, Operations Dept.; 74, CO; Forty, CO; One, LT F.P. Digeorge; THREE, Operations Off.

NRL Code 8441 (R.A. Skop), Washington DC

NROTCU Univ Colorado (LT D R Burns), Boulder CO

NSC Code 700; E. Wynne, Norfolk VA

NTC Code 54 (ENS P. G. Jackel), Orlando FL; Commander; OICC, CBU-401, Great Lakes IL; SCE

NUSC Code EA123 (R.S. Munn), New London CT; Code TA131 (G. De la Cruz), New London CT

OCEANAV Mangmt Info Div., Arlington VA

OCEANSYSLANT LT A.R. Giancola, Norfolk VA

OFFICE OF NAVAL RESEARCH CDR Harlett, Boston MA

OFFICE SECRETARY OF DEFENSE OASD (I&L) Pentagon (T. Casberg), Washington DC

ONR Code 484, Arlington VA; Dr. A. Laufer, Pasadena CA

PACMISRANFAC CO, Kekaha HI

PMTC Pat. Counsel, Point Mugu CA

PWC ENS J.E. Surash, Pearl Harbor HI; ACE Office (LTJG St. Germain); Code 116 (ENS A. Eckhart); Code 120, Oakland CA; Code 120C (A. Adams); Code 200, Great Lakes IL.; Code 200, Oakland CA; Code 220; Code 505A (H. Wheeler); ENS J.A. Squatrito, San Francisco Bay, Oakland CA; Library, Subic Bay, R.P.; OIC CBU-405, San Diego CA; XO

SPCC PWO (Code 120 & 122B) Mechanicsburg PA

UCT TWO OIC, Port Hueneme CA

USCG ACADEMY LT N. Stramandi, New London CT

USNA Ch. Mech. Engr. Dept; PWD Engr. Div. (C. Bradford); PWO; Sys. Engr Dept (Dr. Monney), Annapolis MD

USCG (G-ECV/61) (Burkhart) Washington, DC; HQ (GECV-3), Washington DC; MMT-4, Washington DC

USCG R&D CENTER CO; D. Motherway, Groton CT; Tech. Dir.

USNA Sys. Engr. Dept (R. McCoy)

WPNSTA EARLE Code 092, Colts Neck NJ

CALIFORNIA STATE UNIVERSITY LONG BEACH, CA (CHELAPATI): LONG BEACH, CA (YEN)

CITY OF CERRITOS Cerritos CA (J. Adams)

COLORADO STATE UNIV., FOOTHILL CAMPUS Engr Sci. Branch, Lib., Fort Collins CO

CORNELL UNIVERSITY Ithaca NY (Serials Dept. Engr Lib.)

DAMES & MOORE LIBRARY LOS ANGELES, CA

FLORIDA ATLANTIC UNIVERSITY BOCA RATON, FL (MC ALLISTER); Boca Raton FL (Ocean Engr Dept., C. Lin)

FLORIDA ATLANTIC UNIVERSITY Boca Raton FL (W. Tessin)

ILLINOIS STATE GEO. SURVEY Urbana IL

INSTITUTE OF MARINE SCIENCES Morehead City NC (Director)

IOWA STATE UNIVERSITY Ames IA (CE Dept. Handy)

VIRGINIA INST. OF MARINE SCI. Gloucester Point VA (Library)

LEHIGH UNIVERSITY BETHLEHEM, PA (MARINE GEOTECHNICAL LAB., RICHARDS); Bethlehem PA (Linderman Lib. No. 30, Flecksteiner)

LIBRARY OF CONGRESS WASHINGTON, DC (SCIENCES & TECH DIV)

MAINE MARITIME ACADEMY CASTINE, ME (LIBRARY)

MASSACHUSETTS INST. OF TECHNOLOGY Cambridge MA (Rm 10-500, Tech. Reports, Engr. Lib.); Cambridge MA (Rm 14 E210, Tech. Report Lib.)

MICHIGAN TECHNOLOGICAL UNIVERSITY HOUGHTON, MI (HAAS)

NATL ACADEMY OF ENG. ALEXANDRIA, VA (SEARLE, JR.)

NY CITY COMMUNITY COLLEGE BROOKLYN, NY (LIBRARY)

OREGON STATE UNIVERSITY CORVALLIS, OR (CE DEPT, BELL); Corvalis OR (School of Oceanography); LT R.B. Steimer, NROTC Unit, Corvalis OR

PURDUE UNIVERSITY LAFAYETTE, IN (ALTSCHAEFFL): LAFAYETTE, IN (CE LIB); Lafayette IN (Leonards)

SCRIPPS INSTITUTE OF OCEANOGRAPHY LA JOLLA, CA (ADAMS)

STANFORD UNIVERSITY STANFORD, CA (DOUGLAS)

TEXAS A&M UNIVERSITY COLLEGE STATION, TX (CE DEPT); College TX (CE Dept, Herbich)

UNIVERSITY OF CALIFORNIA BERKELFY, CA (CE DEPT, GERWICK); BERKELFY, CA (CE DEPT, MITCHELL); BERKELFY, CA (OFF, BUS, AND FINANCE, SAUNDERS); DAVIS, CA (CE DEPT, TAYLOR); SAN DIEGO, CA, LA JOLLA, CA (SEROCKI)

UNIVERSITY OF DELAWARE Newark, DE (Dept of Civil Engineering, Chesson)

UNIVERSITY OF HAWAII HONOLULU, HI (CE DEPT, GRACE); HONOLULU, HI (SCIENCE AND TECH. DIV.)

UNIVERSITY OF ILLINOIS URBANA, IL (DAVISSON); URBANA, IL (LIBRARY)

UNIVERSITY OF MASSACHUSETTS (Heronemus), Amherst MA CE Dept

UNIVERSITY OF MICHIGAN Ann Arbor MI (Richart)

UNIVERSITY OF NEBRASKA-LINCOLN LINCOLN, NE (SPLETTSTOESSER)

UNIVERSITY OF NEW HAMPSHIRE DURHAM, NH (LAVOIE)

UNIVERSITY OF PENNSYLVANIA PHILADELPHIA, PA (SCHOOL OF ENGR & APPLIED SCIENCE, ROLL)

UNIVERSITY OF TEXAS Inst. Marina Sci (Library), Port Aransas TX

UNIVERSITY OF TEXAS AT AUSTIN AUSTIN, TX (THOMPSON)

UNIVERSITY OF WASHINGTON SEATTLE, WA (APPLIED PHYSICS LAB): SEATTLE, WA (OCEAN ENG RSCH LAB, GRAY)

UNIVERSITY OF WISCONSIN Milwaukee WI (Ctr of Great Lakes Studies)

URS RESEARCH CO. LIBRARY SAN MATEO, CA

BONNEVILLE POWER ADMIN Los Angeles CA (Hancock Lib. of Bio. & Ocean)

UNIVERSITY OF CALIFORNIA Berkeley CA (B. Bresler); Berkeley CA (E. Pearson)

UNIVERSITY OF RHODE ISLAND Narragansett RI (Pell Marine Sci. Lib.)

US DEPT OF COMMERCE NOAA, Pacific Marine Center, Seattle WA

USGEOLOGICAL SURVEY Off, Marine Geology, Mailstop 915, Reston VA

AEROSPACE CORP. Acquisition Group, Los Angeles CA

ARCAIR CO. D. Young, Lancaster OH

ARVID GRANT OLYMPIA, WA
ATLANTIC RICHFIELD CO. DALLAS, TX (SMITH)
AUSTRALIA Dept. PW (A. Hicks), Melbourne
BECHTEL CORP. SAN FRANCISCO, CA (PHELPS)
BELGIUM NAECON, N.V., GEN.
BETHLEHEM STEEL CO. BETHLEHEM, PA (STEELE)
BROWN & ROOT Houston TX (D. Ward)

CANADA Can-Dive Services (English) North Vancouver; Lockheed Petrol. Srv. Ltd., New Westminster BC; Mem Univ Newfoundland (Chari), St Johns; Surveyor, Nenninger & Chenevert Inc...

CHEVRON OIL FIELD RESEARCH CO. LA HABRA, CA (BROOKS)

CONCRETE FECHNOLOGY CORP. TACOMA, WA (ANDERSON)

DILINGHAM PRECAST F. McHale, Honolulu HI DRAVO CORP Pittsburgh PA (Giannino)

DURLACH, O'NEAL, JENKINS & ASSOC, Columbia SC

NORWAY DET NORSKE VERITAS (Library), Oslo

FRANCE Dr. Dutertre, Boulogne; P. Jensen, Boulogne; Roger LaCroix, Paris

GEOTECHNICAL ENGINEERS INC. Winchester, MA (Paulding)

GLOBAL MARINE DEVELOPMENT NEWPORT BEACH, CA (HOLLETT)

HALEY & ALDRICH, INC. Cambridge MA (Aldrich, Jr.)

ITALY M. Caironi, Milan; Sergio Tattoni Milano

JAMES CO. R. Girdley, Orlando FL

KOREA Korea Rsch Inst. Ship & Ocean (B. Choi), Seoul

LOCKHEED MISSILES & SPACE CO. INC. SUNNYVALE, CA (PHILLIPS)

LOCKHEED OCEAN LABORATORY San Diego CA (F. Simpson)

MARATHON OIL CO Houston TX (C. Seav)

MCCLELLAND ENGINEERS INC Houston TX (B. McClelland)

MCDONNEL AIRCRAFT CO. Dept 501 (R.H. Fayman), St Louis MO

MOBILE PIPE LINE CO. DALLAS, TX MGR OF ENGR (NOACK)

MUESER, RUTLEDGE, WENTWORTH AND JOHNSTON NEW YORK (RICHARDS)

NEWPORT NEWS SHIPBLDG & DRYDOCK CO. Newport News VA (Tech. Lib.)

NORWAY A. Torum, Trondheim; DET NORSKE VERITAS (Roren) Oslo; J. Creed, Ski; Norwegian Tech Univ (Brandtzaeg), Trondheim

OCEAN DATA SYSTEMS, INC. SAN DIEGO, CA (SNODGRASS)

OCEAN ENGINEERS SAUSALITO, CA (RYNECKI)

OCEAN RESOURCE ENG. INC. HOUSTON, TX (ANDERSON)

OFFSHORE DEVELOPMENT ENG. INC. BERKELEY, CA; Berkeley CA

PACIFIC MARINE TECHNOLOGY LONG BEACH, CA (WAGNER)

PORTLAND CEMENT ASSOC. SKOKIE, II. (CORELY); SKOKIE, II. (KLIEGER); Skokie II. (Rsch & Dev Lab, Lib.)

PUERTO RICO Puerto Rico (Rsch Lib.), Mayaquez PR

RIVERSIDE CEMENT CO Riverside CA (W. Smith)

SCHUPACK ASSOC SO. NORWALK, CT (SCHUPACK)

SEATECH CORP. MIAMI, FL (PERONI)

SHELL DEVELOPMENT CO. HOUSTON., TX (TELES); Houston TX (E. Doyle)

CMC GeoTech Inst

SHELL OIL CO. HGESTON, TX (MARSHALL): Houston TX (R. de Castongrene)

SWEDEN VBB (Library), Stockholm

TIDEWATER CONSTR. CO Norfolk VA (Fowler)

UNITE D KINGDOM Cement & Concrete Assoc. (Library), Wexham Springs, Slough; Cement & Concrete Assoc. (Lit. Ex), Bucks; Cement & Concrete Assoc. (R. Rowe), Wexham Springs, Slough B; D. New, G. Maunsell & Partners, London; Shaw & Hatton (F. Hansen), London; Taylor, Woodrow Constr (014P), Southall, Middlesex; Taylor, Woodrow Constr (Stubbs), Southall, Middlesex; Univ. of Bristol (R. Morgan), Bristol

WESTINGHOUSE ELECTRIC CORP. Annapolis MD (Oceanic Div Lib, Bryan)

WISS, JANNEY, ELSTNER, & ASSOC Northbrook, IL (J. Hanson)

WM CLAPP LABS - BATTELLE DUXBURY, MA (LIBRARY); Duxbury, MA (Richards)

WOODWARD-CLYDE CONSULTANTS Dr. J. Gaffey, Orange CA; PLYMOUTH MEETING PA (CROSS, III) BRYANT ROSE Johnson Div. UOP, Glendora CA

BRYANT ROSE Johnson Div BULLOCK La Canada

T.W. MERMEL Washington DC